

COMPANY INC.

Solving Your Wire Stitching Needs For 125 Years

SINGLE HEAD MACHINES

THE DEFINITION OF VERSATILITY


Deluxe Stitcher has a long tradition of manufacturing stand alone stitcher machines. From their first motorized stitcher back in 1905 to today's latest models, Deluxe continues to be one of the leaders in stitching versatility with capacities up to 2-1/2" (63 mm).



www.DeluxeStitcher.com

MULTIPLE HEAD MACHINES MAXIMIZE YOUR PRODUCTIVITY

Deluxe's range of multi-head stitchers are there to help increase your productivity with the ability to put as many as 10 stitches in one cycle. From the pamphlet making M17 to the versatile M27 pad stitcher to the 18 AW (up to 10 heads can be mounted) you are unlikely to find a wider range of multiple head machines on the market.



www.DeluxeStitcher.com

LIGHT DUTY MACHINES QUICK PRINT SOLUTIONS

Deluxe always strives to exceed our customers expectations and our light duty line of machines do just that. Compact like a stapler, but built on a stitcher platform, this product line can meet all of your short run needs.



www.DeluxeStitcher.com

CORRUGATED MACHINES

HEAVY INDUSTRIAL WORKHORSES

Deluxe Stitcher's line up of corrugated Bottomer's and Side Stitchers are some of the most productive and versatile machines on the market. Single, double, and even triple wall boxes can be stitched with ease. Deluxe Stitcher machines can dispense as many as 25,000 staples without reloading. All this in a Heavy Duty design built to last.



TECHNICAL INFORMATION

MODEL	CAPACITY	CROWN SIZES	WIRE SIZES (Gauge)	MIN. HEAD CENTERS	HEADS	SHIPPING DIMENSIONS
M30 7/8" and 1-1/4"	M30-7/8": Up to 7/8" [22 mm] (Approximately 210 sheets) M30-1-1/4 Up to 1-1/4" [30 mm] (Approximately 275 sheets)	5/8" [16 mm], 3/16" [5 mm] Loop	20-28 round, 18x20, 19x21½, 20x24 (19x21½ is standard for 7/8 machine) (18x20 is standard for 1-1/4 machine)	Not Applicable	One (Built in)	700 lbs [304 kg] (Includes accessories) 30"X40"X70" [77cm x 102cm x177cm]
M19	With G20 Head: Two sheets to 3/4" [20 mm] (Approximately 170 sheets)	With G20 Head: 1/2" [13 mm], 3/16" [5 mm] Loop	With G20 Head: 20-28 round, 19x21½, 20x24, 21x25 flat (20x24 is standard)	Not Applicable	One	450 lbs [204 kg] (Includes accessories) 30" x 35" x 64" [77cm x 89cm x 163cm]
M2	With G8 Head: Two sheets to 5/16" [8 mm] (Approximately 75 sheets)	With G8 Head: 1/2" [13 mm], 3/16" [5 mm] Loop	With G8 Head: 23-28 round, 21x25 flat (24 is standard)	Not Applicable	One	375 lbs [170 kg] 30" x 35" x 64" [77cm x 89cm x 163Cm]
M17	With G8 Head: Two sheets to 5/16" [8 mm] (Approximately 75 sheets)	With G8 Head: 1/2" [13 mm] & 3/16" [5 mm] Loop	With G8 Head: 23-28 round, 21x25 flat (24 is standard)	With G8 Heads: 2-3/64" [52 mm] at two sheets to 1/16" [1.5mm] material thickness	Up to Eight G8 Heads, Up to Ten 26D Heads	555 lbs [252 kg] (Includes accessories) 30" x 35" x 64" [77cm x 89cm x 163cm]
M27	With G20 Head: Up to 3/4" [20 mm] (Approximately 170 sheets)	With G20 Head: 1/2" [13 mm] & 3/16" [5 mm] Loop	With G20 Head: 20-28 round, 19x21½, 20x24, 21x25 flat (20x24 is standard)	With G20 Heads: 2-3/4" [70 mm] at two sheets to 1/16" [1.5 mm] material thickness	Up to Four G20 Heads, Up to Two 18D Heads	580 lbs [263 kg] (Includes accessories) 30" x 35" x 64" [77cm x 89cm x 163cm]
N3B 2-1/2	1/2" - 2" [13mm - 51mm] (Approximately 450 sheets , Samples required)	11/16" [18 mm]	18x20 Flat High Carbon	Not Applicable	One	740 lbs [336 kg] 36"x42"x70" [92cm x 107cm x 177cm]
18 -AW	Two sheets to 9/16" [14 mm] with both G20 and 18D (Approximately 130 sheets)	With G20 Head: 1/2" [13 mm] & 3/16" [5 mm] Loop	With G20 Head: 20-28 round, 19x21½, 20x24, 21x25 flat (20x24 is standard)	With G20 Heads: 2-3/4" [70 mm] at two sheets to 1/16" [1.5 mm] material thickness	Up to Eight G20 Heads, Up to Ten 18D Heads	1150 lbs [522 kg] w/ 4 heads 18AW: 62" x 39" x 75" [158cm x 99cm x 191cm]
Stitchmaster	Two sheets to 1/4" [6 mm] with round wire (25 ga) (Approximately 55 sheets)	1/4" [6 mm]	23-28 round, 21x25 flat (25 round is standard)	Dual units min. 4" Max distance 8"	One	Single head: 21" x 33" x 8" [54cm x 84cm x 21cm] 55 lbs [25 kg]
S2F8 Metal	Thickness up to 1/2" [12mm] Depending on material (Samples required)	7/16" [10 mm]	17, 18 and 20 round, (18 round is standard)	Not Applicable	One	440 lbs [200 kg] 40"x48"x78" [102cm x 130cm x 198cm]
HF Arm, Post & Combo	Single wall and thin Double wall corrugated	7/16" [10 mm] 1-1/4" [30 mm] Optional	.103" x .020", .023" and .028" (.103" x .020" is standard)	Not Applicable	One	525 lbs [238 kg] 40"x48"x78" [102cm x 130cm x 198cm]
S5F Arm, Post & Combo	Single, Double and Triple wall corrugated boxes	7/16" [10 mm] 1-1/4" [30 mm] Optional	.103" x .020", .023" and .028" (.103" x .020" is standard)	Not Applicable	One	458 lbs [208 kg] 40"x48"x78" [102cm x 130cm x 198cm]

3747 N Acorn Lane Franklin Park, IL 60131 - USA T: 847-455-4400 F: 847-455-4900

www.DeluxeStitcher.com www.BoxStitching.com www.MetalFastening.com